



STYLISH.
FUNCTIONAL.
EFFICIENT.



Discover the new **GRAM ECO PLUS 140**

The new GRAM double-door cabinet, ideal for gastronomy and bakeries, combines stylish design with high functionality and very low energy consumption.

From the award-winning Gram Superior and Eco product family.

KEY FEATURES

QUICK GUIDE


- ✓ For commercial Kitchens/Back of House hot professional kitchens and Front of House within Horeca business.
- ✓ Suitable for use in ambient temperatures of up to +40 °C (*tropical*).
- ✓ Heavy Duty cabinets, Climate class 5.
- ✓ High performance, enduring many daily door openings.
- ✓ Suitable for the 2/1 GN deep system.
- ✓ Optionally prepared for remote refrigeration system.

FOOD SAFE



The efficient air circulation system helps maintain perfect storage temperatures. Designed to recover the inside temperature rapidly after each door opening. Temperatures for optimal food safety are maintained for climate class 5.

LOW-RUNNING COSTS




Life time costs of equipment is key to the professional kitchen. The **ECO PLUS 140** refrigerator and freezer are energy optimized with very low running costs compared to their class (*topten.eu*).

HIGH STANDARD IN HYGIENE



Designed for easy cleaning with smooth surfaces throughout and easy access. Specific features are highlighted on next page.

LOW NOISE



The **ECO PLUS 140** contributes to a healthier work environment with low noise levels from approx. 42,8 dB(A) when compressor is running.

Vario Silver is a coated finish with a light, stainless appearance. Fingermarks not visible.

MATERIAL OPTIONS - Exterior & Interior

Stainless steel



Stainless steel



Vario silver



Vario silver





GRAM

1 3

2

3

4

5

6

*Optionally available
with 2 glass doors*

7

8

Pedal door openers



GRAM

1

3

2

3

4

5

6

*Optionally available
with 2 glass doors*

7

8


Pedal door openers

KEY FEATURES

MORE VALUE & LOW COSTS

1. Controls concealed behind the top panel.
2. Low sound and heat emission.
Low noise level peaking at approx. 42,8 dB(A) for refrigerator and 45,6 dB(A) for freezer.
3. Removable door gasket for easy cleaning.
4. Self-closing door with full-height handle.
5. Wall rails that fit into dishwashers.
6. Center shelves provide extra storage capacity.
7. Inside base shaped as dished pan to catch fluids.
8. Patented pedal door opener. (Same opener can be placed left or right side).

EXTRA STORAGE



Center shelves provide extra storage capacity

EASY CLEANING



Modular wall rails fit into dishwasher

ADDITIONAL STRENGTH AND DURABILITY



Cross section of door handle
Full length aluminium profile impart additional strength.
Keeping doors and cabinet in perfect shape

2mm thick

EXTREMELY QUIET



Low noise levels from 42,8 dB(A) (refrigerator) to 45,6 dB(A) (freezer) when compressor is running.

TEMPERATURE RANGES

K	M	F
+2/+12°C	-5/+12°C	-25/-5°C

Refrigerator Fresh meat Freezer

Temperature range **M** and **F** are not available for glass door models.

The ECO PLUS is a series of high performance cabinets, meeting the sophisticated expectations of our customers operating in both casual and fine dining kitchen environments. Stable and uniform temperatures throughout the cabinet is provided, whilst keeping energy consumption on a revolutionary low in the heat of a commercial kitchen.

USAGE AREAS



Catering Healthcare* Education Hospitality Leisure Bakery

* Food storage only, not for bio-medical purposes

LEGS, CASTORS OR PLINTH MOUNTING

L1: 100 - 130 mm C1: (standard) 110 mm
L2: (standard): 135 - 200 mm C2: castors 125 mm



Prepared for plinth mounting at no extra charge

GRAM ECO PLUS 140

KEY SPECS

	Insulated doors	Glass doors
Energy Efficiency Class EEC (Ecodesign)	Refrigerator: A Freezer: C	Refrigerator: C N/A
Annual Energy Consumption (kWh)	Refrigerator: 562 Freezer: 2795	Refrigerator: 965 N/A
Climate Class	5	4
Noise levels dB(A)	Refrigerator: 42,8 Freezer: 45,6	N/A N/A
Number of shelves	Equipped with 8 grey shelves and 4 stainless center shelves	Equipped with 8 grey shelves and 4 stainless center shelves
Dimensions mm with L2 legs (WxDxH)	1400 x 905 x 2125	1400 x 905 x 2125
Dimensions mm with C1 castors (WxDxH)	1400 x 905 x 2100	1400 x 905 x 2100
Gastronorm size	2/1 GN DEEP	2/1 GN DEEP
Refrigerant	R290	R290

Baker models

The Baker models are slightly different in options and specifications

Insulated door models

Interior: Stainless steel only
Exterior: Stainless steel only

Refrigerator (M) Freezer (F)

Natural refrigerant

SERIES LINE-UP



ECO PLUS 70
Stainless steel



ECO PLUS 70
Vario silver



ECO PLUS 70
White finish



ECO PLUS 140
Stainless steel



ECO PLUS 140
Vario silver





Stronger together

By merging with refrigeration specialist Gram Commercial, we have brought together the brilliance of Japanese engineering and the intelligence of Danish design. Our collaboration has created the world's most connected, innovative and responsible manufacturer of cold solutions.

Together, we continue to explore the realms of possibility.

Hoshizaki UK

2 The Technology Centre
London Road - Swanley
Kent BR8 7AG United Kingdom

T: +44 (0)845 456 0585

uksales@hoshizaki.uk
www.hoshizaki.uk
www.hoshizaki-europe.com